

Reference No.	Address	Works proposed	Date received	Submitted by	Decision	Decision Date
COT2013_1	23 Sussex Road Southsea	Crown reduction by 3 metres on Hawthorn, Rowan and Holly tree within side garden	04/01/2013	Mr Farrington	not worthy of TPO, work confirmed acceptable	25/01/2013
COT2013_2	38 Outram Road Southsea	30% reduction to Pittosporum at front of property at entrance of drive and removal of dead Bay tree at front of property in corner of garden by railings	08/01/2013	Mr Tomasso	not worthy of TPO, work confirmed acceptable	25/01/2013
COT2013_3	7 Auckland Road West Southsea	Reduce back Magnolia in rear garden encroaching neighbouring property in Ashby Place by 20%	08/01/2013	Mr Tomasso	not worthy of TPO, work confirmed acceptable	21/02/2013
COT2013_4	22 Livingstone Road Southsea	Apple tree within rear garden - new growth cutting back to the main branches	17/01/2013	Jon Sumpter	not worthy of TPO, work confirmed acceptable	25/01/2013
COT2013_5	8 Nelson Road Southsea	Removal of 1 ash tree on the boundary of 8 and 10a Nelson road. The tree is the most southerly and last tree in the row on the fence line.	21/01/2013	Mr Tomasso	not worthy of TPO, work confirmed acceptable	01/03/2013

COT2013_6	Merlin Centre 19 Villiers Road Southsea	T1 Horse chestnut -Crown lift to 3 metre/5 metres and remove deadwood; T2 Horse chestnut -Along western boundary -Fell; T3 Horse chestnut- crown lift to 3 metre/5 metres and remove deadwood; T4 Willow tree - remove 1 limb back to trunk (limb leaning over fence towards road); T5 Willow tree - fell to ground level.	22/01/2013	Mr Mansell	not worthy of TPO, work confirmed acceptable	25/01/2013
COT2013_7	1 St Judes Close Southsea	Fell Pittosporum Tenuifolium, Bay, and Prunus species. Shaping of other shrubs within garden	14/02/2013	Mrs Grandison	not worthy of TPO, work confirmed acceptable	05/04/2013
COT2013_8	12 Castle Road Southsea	2 Silver Birch trees -crown lifting and thinning because of proximity to other buildings and overhang of neighbouring gardens	19/02/2013	Mrs Walton	not worthy of TPO, work confirmed acceptable	15/03/2013
COT2013_9	33 Chelsea Road Southsea	3 trees within rear garden: Sycamore tree -Crown Uplift 2.5m Crown Thinning up to 30% Formative pruning; Beech tree -Crown Thinning up to 30%, formative pruning; Beech tree -Formative Pruning. Bay tree within garden Fell.	25/02/2013	Dominic Hearne	not worthy of TPO, work confirmed acceptable	04/04/2013
COT2013_10	65 Campbell Road Southsea	Pleach 3 Lime trees within front garden	22/02/2013	Mr Fricker	not worthy of TPO, work confirmed acceptable	22/02/2013

COT2013_11	32 Albert Grove Southsea	Removal 3 small Leylandii trees from back garden	15/02/2013	Sarah Shannon	not worthy of TPO, work confirmed acceptable	15/03/2013
COT2013_13	8 Perseus Terrace Gunwharf Quays Portsmouth	Fell Horse chestnut tree within rear garden	25/02/2013	Mrs P Harbin	not worthy of TPO, work confirmed acceptable	15/03/2013
COT2013_14	Western Court Queens Crescent Southsea	2 Silver Birch trees on corner of Queens Crescent and Queens place -generally crown thin	27/02/2013	Mr Clark	not worthy of TPO, work confirmed acceptable	05/04/2013
COT2013_15	49 Kent Road Southsea	Lime tree within front garden crown reduce by 2 metres	05/03/2013	Mr Gorden	not worthy of TPO, work confirmed acceptable	12/04/2013
COT2013_16	26 Florence Road Southsea	Reduce Bay tree by 30% and Cherry tree by 30% within front garden	06/03/2013	Mr Langton	not worthy of TPO, work confirmed acceptable	12/04/2013
COT2013_17	Park House 1 Clarence Parade Southsea	Reduction to 5 Beech trees by 25% and reshape	07/03/2013	Mr Tomasso	not worthy of TPO, work confirmed acceptable	14/04/2013
COT2013_18	Sycamore tree located in the rear garden of Eastland Lodge 47 Kent Road on the boundary with Annesley House	Application to reduce crown of Sycamore tree by one third.	06/03/2013	Charles Stunell	not worthy of TPO, work confirmed acceptable	18/03/2013
COT2013_19	13 Pembroke Road Southsea	Fell Lime tree within rear grounds	27/03/2013	Mr Farrington	not worthy of TPO, work confirmed acceptable	07/05/2013

COT2013_20	69 Campbell Road Southsea	Reduction to 1 Bay Tree by 30% and 1 Maple by 20% both in front garden	27/03/2013	Mr Tomasso	not worthy of TPO, work confirmed acceptable	07/05/2013
COT2013_21	1 Hamilton Road Southsea	Fell and remove 2 Leylandi trees	25/03/2013	Mr Farrand	not worthy of TPO, work confirmed acceptable	08/04/2013
COT2013_22	The Shrubbery Grove Road South Southsea	See TPO app - confirmation required as to which are TPO and which COT	27/03/2013	Mr Farrington	not worthy of TPO, work confirmed acceptable	02/05/2013
COT2013_25	43 Campbell Road Southsea	Fell Sycamore within rear garden replace	15/04/2013	Mr Cobley	not worthy of TPO, work confirmed acceptable	08/05/2013
COT2013_23	Car park rear of 1-8 Burnaby Road Portsmouth	5 Sycamore trees adjacent to 8 Burnaby Road. 2 Sycamores Crown lift to 5 metres and 3 fell	24/04/2013	Mr Pike	not worthy of TPO, work confirmed acceptable	16/05/2013
COT2013_24	52 Campbell Road Southsea	Tree within rear garden -fell, five fir trees in front yard lop - further information requested	03/05/2013	Mr Wood	not worthy of TPO, work confirmed acceptable	14/06/2013
COT2013_26	Warblington Court Warblington Street Portsmouth	Cedar Tree on back boundary of car park -fell	10/05/2013	Mr Clutterbuck	not worthy of TPO, work confirmed acceptable	19/06/2013
COT2013_27	33 Outram Road Southsea	3 Sycamore trees within rear garden -fell	08/05/2013	David Broderick	not worthy of TPO, work confirmed acceptable	20/05/2013
COT2013_28	12 A'Becket Court Portsmouth	Fell Eucalyptus tree within front garden	14/05/2013	Linnett Callaghan	not worthy of TPO, work confirmed acceptable	04/06/2013

COT2013_29	2-3 Craneswater Park Southsea	<p>Remove 1 Holly tree that is located less than 1 metre from the house and has cracked the adjoining stair wall which is the entrance to flat 7. Also the root system has lifted the pathway to the flat and is considered most dangerous to all visitors. The root system is also very close to the external main drain system and this is considered not an ideal situation. The attached pictures show these issues in detail.</p> <p>2) Adjacent to the fence at the back of the garden is a Bay and a Sycamore tree which both need tree surgery, (see pictures attached). The intent is to reduce the bay by 50% and the Sycamore by 30% and shaping them accordingly.</p>	09/05/2013	Ray Williams	not worthy of TPO, work confirmed acceptable	19/06/2013
COT2013_30	5 Marine Court Southsea	Remove Privet hedge from rear garden and fell tree within front garden	10/05/2013	Kate Reddy	not worthy of TPO, work confirmed acceptable	19/06/2013

COT2013_31	The Portsmouth Grammar School High Street Portsmouth	2 Hornbeam trees adjacent to Cambridge House -Fell	10/05/2013	Mr Wearne	not worthy of TPO, work confirmed acceptable	20/05/2013
COT2013_32	Rear garden of 104 King Street Southsea	Fell Sycamore	10/06/2013	Sally Williams	not worthy of TPO, work confirmed acceptable	16/07/2013
COT2013_33	6 Queens Grove Southsea	Remove 4 Holly trees within side garden	10/06/2013	Mr Neil	not worthy of TPO, work confirmed acceptable	16/07/2013
COT2013_34	6 Brading Avenue Southsea	Trim trees within garden - awaiting further clarification	29/05/2013	Mr Chandra		
COT2013_35	7 South Normandy Old Portsmouth	Cotoneaster within rear garden - reduce canopy by maximum of 2 metres and thin canopy by a maximum of 20%	20/06/2013	Mr Chris O'Hara	not worthy of TPO, work confirmed acceptable	30/07/2013
COT2013_36	3 The Retreat Southsea	Flowering Cherry within front garden -fell and Pear tree within rear garden -fell	21/06/2013	Mrs Midgley	not worthy of TPO, work confirmed acceptable	30/07/2013
COT2013_37	11 Clarence Parade Southsea	3 Leylandii trees, 1 Maple, 1 Robbinia and 1 Hazel tree - reduce height and volume up to a maximum of 25%.	11/06/2013	Mr Okell	not worthy of TPO, work confirmed acceptable	24/06/2013
COT2013_38	5 Worthing Road Southsea	Fell tree within side garden on boundary with 7 Worthing Road	13/06/2013	Mr Haynes	not worthy of TPO, work confirmed acceptable	19/07/2013

COT2013_39	7 Livingstone Road Portsmouth	2 Sycamore trees crown reduce by approximately 30%. Crown thin by approximately 20% and crown lift to approximately 3 metres.	25/06/2013	Mr Andrew Wain and Leah Taylor	not worthy of TPO, work confirmed acceptable	07/08/2013
COT2013_40	St Georges car park St Thomas Street Portsmouth	1 x Sorbus tree -crown thin by up to 15% and prune branches back to give a clearance of 0.5m of light; 1 x Sorbus tree remove epicormic growth, crown thin by up to 10%, crown lift by up to 2 metres above ground level and prune branches back to give a clearance of 0.5m of light; 1 x Sorbus tree crown thin by up to 10% and carry out a light formative prune.	28/06/2013	Maggie Saunders	not worthy of TPO, work confirmed acceptable	08/08/2013
COT2013_41	Anglesea Building and Portman Gate Burnaby Road	Anglesea building -line of trees along rail line (286) - prune to give 2 metre clearance of building; Portman gate -14 Sorbus trees (289) - crown lift by up to 2 metres above ground level	28/06/2013	Maggie Saunders	not worthy of TPO, work confirmed acceptable	08/08/2013

COT2013_42	Milldam Burnaby Road	Milldam -Plane tree (292) - reduce laterals growing towards building by up to 3 metres in length; Plane tree (297) -reduce branches back from over playground by up to 2 metres in length; Sorbus tree (315) -prune to remove rubbing and crossing branches; Sorbus tree (317) - crown thin by up to 10% throughout crown; Lime trees x 6 (319) - remove stubs and epicormic growth.	28/06/2013	Maggie Saunders	not worthy of TPO, work confirmed acceptable	08/08/2013
COT2013_43	9 Yarborough Road Southsea	Fell Conifer tree and replace with small native tree	27/06/2013	Peter Ingram	not worthy of TPO, work confirmed acceptable	07/08/2013
COT2013_44	9B Worsley Road Southsea	Substantially reduce and reshape magnolia tree	25/06/2013	Nicola Barden	not worthy of TPO, work confirmed acceptable	07/08/2013
COT2013_45	2 Netley Terrace Southsea	Fell Cherry tree within front Garden	05/07/2013	Malachi Kelly		07/08/2013
COT2013_46	13 Worthing Road Southsea	Bay tree -remove 1 limb rubbing on listed wall, reduce and reshape remainder of tree by 2 metres	15/07/2013	Bailey Bros	not worthy of TPO, work confirmed acceptable	14/08/2013
COT2013_47	61 Clarendon Road Southsea	Fig and Cherry tree within garden and 4 unknown species of tree requested further clarification of works to tree	24/07/2013	Mr Riggs	not worthy of TPO, work confirmed acceptable	06/11/2013

COT2013_48	26 Stanley Street Southsea	Crown reduce by 2 feet	18/07/2013	Carol Knight	not worthy of TPO, work confirmed acceptable	02/08/2013
COT2013_49	Villiers Cottage 11 Villiers Road Southsea	Crown raise to 5 metres above the road Pine tree and Beech tree within front garden	26/07/2013	Mrs Bunya-ananta	not worthy of TPO, work confirmed acceptable	26/11/2013
COT2013_50	7A Victoria Road Southsea	Felling of 2 Lime trees	05/08/2013	Miss Chambers	not worthy of TPO, work confirmed acceptable	14/08/2013
COT2013_51	St Georges Car Park High Street Portsmouth	Fell Sorbus tree	05/08/2013	Maggie Saunders	not worthy of TPO, work confirmed acceptable	04/09/2013
COT2013_52	Lions Gate Terrace Lion Terrace Portsmouth	Crown lift lime tree by 5m above ground level	06/08/2013	Maggie Saunders	Works acceptable in this instance.	16/08/2013
COT2013_53	Rear garden of 6 Grand Division Row Southsea	Holm Oak within rear garden - Crown reduce lateral branches by 2 meters and re-shape and crown lift to 4 meters;	19/08/2013	Dave Boorer Alpine Tree Surgeons	not worthy of TPO, work confirmed acceptable	24/09/2013
COT2013_54	Jupiter Court Gunwharf Quays Portsmouth	14 Lime trees and 6 Silver Birch trees -reduce height and spread of trees by 1.5 metres	21/08/2013	Mr Derek Smith	not worthy of TPO, work confirmed acceptable	27/09/2013
COT2013_55	Lysander Court Gunwharf Quays Portsmouth	3 Lime trees -reduce height and spread of each tree by approximately 1.5 metres.	21/08/2013	Mr Derek Smith	not worthy of TPO, work confirmed acceptable	27/09/2013

COT2013_56	30 Havelock Road Southsea	Sycamore and Bay tree within rear garden reduce by a third	28/08/2013	Sally Watkins	not worthy of TPO, work confirmed acceptable	06/09/2013
COT2013_57	33d St Edwards Road Southsea	Fell Scots Pine tree within front garden	20/08/2013	Mr Dion Mandziej & Mrs Helen Mandziej	not worthy of TPO, work confirmed acceptable	30/09/2013
COT2013_58	28 Livingstone Road Southsea	Lilac tree -light trim removing 0.6 metre of growth; Holly tree -light trim removing 0.7 metres of growth and 2 prunus trees - trim removing 1.5 metres of growth.	02/09/2013	Mr Petley	not worthy of TPO, work confirmed acceptable	14/10/2013
COT2013_59	68b Whitwell Road Southsea	Fell mimosa tree within rear garden and replace	04/09/2013	Mrs Elizabeth Sica	not worthy of TPO, work confirmed acceptable	19/09/2013
COT2013_60	31A Auckland Road East Southsea	Magnolia to front of property reduce height by 0.5 to 1 metre crown lift to 2.5m	05/09/2013	Mr Knight	not worthy of TPO, work confirmed acceptable	17/10/2013
COT2013_61	79 Marmion Road Southsea	Bay tree in rear garden to be reduced to same level of house extension - crown lift and shape	18/09/2013	Mr David Jones	not worthy of TPO, work confirmed acceptable	15/10/2013
COT2013_62	28 St Edwards Road Southsea	Crown reduce by 30% two fruit trees, ornamental Birch and Fir tree to include trimming & pruning of smaller bushes	18/09/2013	Mrs Cathy Roberts	not worthy of TPO, work confirmed acceptable	02/10/2013
COT2013_63	38 St Edwards Road Southsea	reduce sycamore situated next to T11	24/09/2013	Mr John Bream	not worthy of TPO, work confirmed acceptable	05/11/2013

COT2013_64	16A St Davids Road Southsea	Sycamore trees x 2 - reduce in height by approx 3m and cut back west facing laterals to trunk	26/09/2013	Mr Adam Mansell	not worthy of TPO, work confirmed acceptable	29/10/2013
COT2013_65	50 Chelsea Road Southsea	Fell Magnolia tree to include root removal in back garden	26/09/2013	Mr Andrew Tomasso	not worthy of TPO, work confirmed acceptable	06/11/2013
COT2013_66	81 Campbell Road Southsea	Fell Conifer tree in rear garden and fell Corsican Pine and Pittisporum in front garden	24/09/2013	Mr Jamie Myers	not worthy of TPO, work confirmed acceptable	05/11/2013
COT2013_67	23 High Street Old Portsmouth	Trim the Magnolia tree in the back garden	27/09/2013	Marian Pottinger	not worthy of TPO, work confirmed acceptable	16/10/2013
COT2013_68	Garden Flat 20 Lennox Road South Southsea	Removal of Laburnum tree in rear garden	02/10/2013	Andrew Tomasso	not worthy of TPO, work confirmed acceptable	11/11/2013
COT2013_69	5 Netley Terrace Southsea	Reduction by 1.5m of Apple tree and reshape in rear garden	02/10/2013	Andrew Tomasso	not worthy of TPO, work confirmed acceptable	12/11/2013
COT2013_70	27 Great Southsea Street Southsea	Purple plum - remove deadwood	02/10/2013	Greenscape FAO B Burkinshaw	not worthy of TPO, work confirmed acceptable	11/11/2013
COT2013_71	13 Freestone Road Southsea	Remove 3 Tree of Heavens and 1 Bay tree on the south border - Holly tree to be topped and pruned into feature hedge	01/10/2013	Andrew Tomasso	not worthy of TPO, work confirmed acceptable	29/10/2013

COT2013_72	20 Ashby Place Southsea	Bay tree reduce by 3m - Damson tree reduce by 1.5m - Apple tree reduce by 1m & Vaburnum overhanging 7 Auckland Road West reduce back to boundary line	07/10/2013	Andrew Tomasso	not worthy of TPO, work confirmed acceptable	11/11/2013
COT2013_73	31 Warblington Street Old Portsmouth	Purple sycamore crown lift to give 3m & 2.5m clearance crown reduce by 2.5 & 3m thin canopy by 10% - Cherry thin canopy by 10% & crown reduce by 1.5m - Cherry thin crown by 20% crown reduce by 2m	04/10/2013	Mr Ronald Rabbetts	not worthy of TPO, work confirmed acceptable	15/11/2013
COT2013_74	18 Cousins Grove Southsea	Crab Apple reduce & reshape crown by 2m - Sycamore reduce & reshape crown by 2m	07/10/2013	Miss Helen Baldwin	not worthy of TPO, work confirmed acceptable	29/10/2013
COT2013_75	6 Brandon Road Southsea	Fell Robinia & Sycamore - Bay reshape & reduce by 1 metre	23/09/2013	Adam Mansell	not worthy of TPO, work confirmed acceptable	20/11/2013
COT2013_76	19 Bembridge Crescent Southsea	4 Horse Chestnuts repollard - 2 Mimosa 25% reduction	07/10/2013	Blake Davis	not worthy of TPO, work confirmed acceptable	18/11/2013
COT2013_77	4 Sussex Place southsea	2 Laurel trees crown reduce by 30%	11/10/2013	Mrs Northey	not worthy of TPO, work confirmed acceptable	20/11/2013
COT2013_78	Garages Brandon Road Southsea	Sycamore trees cut back to boundary and crown lift	15/10/2013	John Curran		
COT2013_79	5 Perseus Terrace Gunwarf Quays	Eucalyptus tree - fell	23/10/2013	Mr Martin Proudfoot	not worthy of TPO, work confirmed acceptable	04/11/2013

COT2013_80	Half Penny Lane Old Portsmouth	Sycamore & Silver Birch trees reduce and reshape crowns by 3m; Apple tree - reduce and reshape by 2m and crown lift off of garages by 1m	25/10/2013	Mrs Karen Whittle, Bailey Brothers		
COT2013_81	5 Bill Sargent Crescent Portsmouth	Beech tree - reduce large lateral branch 20% reduction	28/10/2013	Mr J Blackman		
COT2013_82	Marine Gate Estate	Various works to trees	28/10/2013	Mr R Langman		
COT2013_83	24 Craneswater Park	1 no Sycamore crown reduce by 1.2m, 1 Conifer hedge reduce all sides by 300mm, and 2 Bay trees crown reduce by 300mm	06/11/2013	Mr Elliott		
COT2013_84	12 Highland Terrace	1 Pine fell, 1 Bay reduce and reshape by 1m, 1 Lilac reduce and reshape by 1m	07/11/2013	Mrs Jones		
COT2013_85	18 Eastern Villas Road	Crab - reduce top by 2 metres. Fig - reduce laterals to all sides by 1 metre. Seanothus - reduce laterals to all sides by 1 metre. Bay - reduce laterals by 1 metre.	30/09/2013	Mr Clements	not worthy of TPO, work confirmed acceptable	11/11/2013