

The Policy for Provision of Equipment to Care Home Residents

1. Introduction

1.1 The purpose of this document is to clarify the responsibilities for the provision of equipment between Portsmouth City Council, Southampton City Council, NHS Portsmouth CCG, NHS Southampton CCG and Care Homes including those offering residential or nursing care.

1.2 The outcome of the policy is for residents in care homes to have their needs appropriately assessed and the necessary equipment provided that will enable them to participate in personal care, leisure and social activities, access environments of their choice and maintain their health and independence.

2. Definition of Terms

Care Home - Either Residential or Nursing Home

CES - Community Equipment Store

Resident - Any person who is living in a care or nursing home for either a short or long stay.

3. Overarching Principles

3.1 Residents of care homes have the same rights to a service and access to an assessment of their needs, including the provision of some equipment, as any other resident in their local area.

3.2 Residents have the right to safety and security; respect, privacy and dignity; freedom of thought, faith and self-expression; autonomy and choice and social participation and inclusion. Equipment can assist in meeting and maintaining these rights and support a person's health and well-being.

3.3 The provision of equipment can increase or optimize the functional independence and well-being of care home residents and carers. It enables occupational engagement, choice and participation in activities that are important to an individual.

3.4 The Care Act 2014, Care and Support Statutory Guidance, Chapter 8, 8.11 states that the Local Authority must not charge for certain types of care and support which must be provided free. This includes community equipment (aids and minor adaptations) **must** be provided free of charge when provided to meet or prevent/delay needs. A minor adaptation is one costing £1,000 or less.

4. Responsibilities of Care Homes Providers

4.1 Care Homes may provide a range of care including long term care, intermediate care, palliative care and continuing health care.

4.2 Care Homes have a duty to ensure that they can meet the needs of their residents. They should not accept people whose assessed needs they are unable to meet.

4.3 CQC Guidance for providers on meeting the regulations of the Health and Social Care Act 2008 (Regulated Activities) Regulations 2014 states:

4.3.1 Care settings should be suitable for the purpose for which they are being used. Premises must be fit for purpose in line with statutory requirements and should take account of national best practice. Premises must be suitable for the service provided, including the layout, and be big enough to accommodate the potential number of people using the service at any one time. There must be sufficient equipment to provide the service. 15 (1)

4.3.2 A Care Home should provide a range of equipment to meet the needs of its residents and its aims as defined by its statement of purpose, and fulfil its health and safety obligations to its own staff.

4.3.3. Sufficient equipment and/or medical devices that are necessary to meet people's needs should be available at all times and devices should be kept in full working order. They should be available when needed and within a reasonable time without posing a risk. 12(2)

4.3.4 Equipment must be accessible at all times to meet the needs of the people using the service. This means it must be available when needed, or obtained in a reasonable time so as not to pose a risk to the person using the service. 15(1)(f)

4.4 Equipment includes, but is not limited to, chairs, beds, clinical equipment and moving and handling equipment. A range of equipment should cater to residents with a variety in height, weight size and support needs and where possible, the residents preferences.

4.5 The Health and Safety at Work Act (1974) requires employers to provide suitably maintained equipment, staff training, and supervision in a safe working environment. It is the employee's responsibility to follow instructions and to ensure their own safety and that of others at all times. The Management of Health and Safety at Work Act (1992) requires employers to ensure risk assessments are carried out and that risks are minimised as far as possible.

4.6 Details of what care homes (residential care homes and nursing care homes) are expected to provide as "standard" and what they are not expected to provide, can be found in **Appendix A**.

4.7 Other regulations which should be taken into account by the Care Home are:

- The Care Act (2014)
- The Lifting Operations and Lifting Equipment Regulations (1998) - LOLER in relation to the use of lifting equipment at work including hoists.
- The Provision and Use of Work Equipment Regulations (1998) - PUWER in relation to the provision of suitable work equipment, maintenance, instruction and training
- The Manual Handling Operations Regulations (1992) which relate to Manual Handling needs of staff and residents.
- The Care Standards Act (2000) which requires that the health, safety and welfare of Residents and staff are promoted and protected. It is the responsibility of the registered manager to ensure that all working practices are safe. This includes infection control, moving and handling, fire safety, first aid and food hygiene.

5. Assessment for Equipment

5.1 When a care home accepts a resident, they should make their own assessment and compile a resident’s plan of care, based on the care and support plan provided by NHS/Council. This care plan should include more detailed information on the practical considerations around the use of equipment such as training, maintenance and storage arrangements as well documenting who is responsible for the equipment. Reviews should take place regularly by the care home.

If, as part of the assessment (and using the agreed local risk assessment tool), the resident is identified as at risk of developing pressure injuries, the support plan must include the provision of equipment to prevent and/or treat these injuries and it must be reviewed regularly. This is likely to include amongst other things, equipment such as pressure reducing and relieving overlays and replacement mattresses/seat cushions to maintain tissue viability (static and dynamic systems).

5.2 In order to ensure no cross infection, the Community Equipment Store (CES) should be asked to collect equipment from a Resident’s home address when they move permanently into a Care Home or if a temporary placement requires equipment loaned and available at their private address. Equipment should not be taken into a Care Home from a Resident’s home address without authority from the CES or Reviewer.

5.3 There are three common scenarios where assessment or review of needs in relation to equipment may occur. See below:

<p>Scenario 1: New admission to or transfer between to care homes A review of the person’s needs and their equipment requirements for use in the care home must be undertaken prior to admission. This review should be undertaken by a suitably qualified professional. The following procedure should then be followed:</p> <ul style="list-style-type: none"> • Suitably qualified professional to liaise with the care home to establish whether the home has the appropriate equipment available as identified in the support plan. • If the care home does not have the appropriate equipment the suitably qualified professional should ensure its provision by establishing whose responsibility it is to provide the equipment using Appendix A of this document. • If the person has CES equipment already in their own home, it should not transfer into a care home to avoid cross contamination. 	<p>Scenario 2: Existing resident in care home A review of the person’s needs and their equipment requirements for use in the care home must be organised by the care home and undertaken by a suitably qualified professional. The support plan/plan of care should be amended accordingly. The following procedure should then be followed:</p> <ul style="list-style-type: none"> • A suitably qualified professional to liaise with the care home to establish whether the home has the appropriate equipment available as identified in the amended support plan/plan of care • If the home does not have the appropriate equipment the suitably qualified professional should check Appendix A (at the end of this document) to establish who should provide. A referral may be required to health or social care services to obtain appropriate equipment. • For PCC owned Care Homes, refer to Appendix C
--	---

Scenario 3: Urgent placement

A review of the person's needs and their equipment requirements for use in the care home must be undertaken prior to admission. This review should be undertaken by a suitably qualified professional.

The following procedure should then be followed:

- Suitably qualified professional to liaise with the care home to establish whether the home has the appropriate equipment available as identified in the support plan.
- If the equipment is non-standard the suitably qualified professional should ensure its provision by establishing whose responsibility it is to provide the equipment using Appendix A of this document.
- If the care home does not have the appropriate equipment the reviewer should liaise with CES to arrange a loan of equipment for 28 days. A review should take place within 28 days to establish if resident is likely to be discharged or if home have made arrangements to provide the equipment.
- The Care home manager should sign the 28 day loan agreement letter, **Appendix B**
- The prescriber should arrange for the CES to collect loaned equipment before the end of the 28 days.

6 Provision of Equipment by the Community Equipment Store (CES)

6.1 Where equipment is loaned to a resident in a care home it will be for the exclusive use of the person for whom it was prescribed, following assessment by a Health or Social Care practitioner. If the equipment provided for a specific individual is subsequently used with another resident and an incident or accident occurs, the care home will be held liable.

6.2 There is no time limit on how long this bespoke equipment can be used by the resident to meet their needs but the care home must inform the health or social care services if the residents needs change or contact the CES for collection of the equipment if it is no longer required, if the client has died or moved to another location.

6.3 When an item has been provided by the CES, it will include instruction on its use and maintenance. Care staff must use the equipment within the manufacturer's guidance and maintain the item in good condition.

6.4 Where the equipment has been provided through the CES store, it is the responsibility of the equipment prescriber to demonstrate or arrange for the demonstration of the equipment to the user and a nominated person within the care home and provide advice re the maintenance required. Thereafter it is the responsibility of the nominated care home staff to provide instruction and training to

any other people who require it. A record should be maintained of appropriate instruction together with any method statement and any visual prompts.

6.5 Day-to-day operational cleaning/disinfection of loan equipment is the responsibility of the care home which must follow manufacturers' instructions and instructions provided by the CES .

6.6 The care home must inform the CES if the equipment breaks down or requires a repair

6.7 The care home will need to meet the cost of all repairs arising from negligence, damage or inappropriate use of loan equipment (this includes defacing the equipment or permanent marking with a resident's name), or the full cost of replacement if damage is beyond repair.

6.8 Care homes will be charged the full replacement cost for all equipment not returned/or deemed 'lost' following the loan period.

6.9 All repair and maintenance of CES loan equipment will be carried out by the contracted CES provider, or authorised sub-contractor where appropriate. The CES provider will be responsible for maintaining a list of all loan equipment requiring ongoing and regular maintenance.

7. Temporary Loan of Equipment to Facilitate a Care Home Placement.

A Care Home has a clear responsibility to ensure that they can meet the assessed needs of their residents and provide a range of equipment. However, where the absence of a particular piece of equipment in a home is temporary and the provision of the equipment would facilitate an urgent placement or hospital discharge or prevent an admission, a temporary loan from CES may be arranged. This will be for a maximum of **28 days** with the agreement of the Care Home to source/ purchase that equipment within this timescale.

- The resident must be assessed by an appropriately qualified professional.
- The prescriber will agree a 28 day loan and complete the loan letter (Appendix 2) with the care home manager which explains their commitment to purchase
- The prescriber arranges delivery of the equipment from CES and arranges a collection date of 28 days maximum.
- The Care Home will source or buy the equipment and arrange collection of the loaned equipment
- The CES will contact the Care Home to collect the equipment if not arranged prior to 28days.
- Extenuating circumstances for a loan extension must be agreed with CES commissioner.
- If the equipment is not returned to the CES at end of the agreed loan period, a charge will be made to the Care Home for the full replacement cost of the piece of equipment.

All other criteria in point 6, with the exception of 6.2 will apply.

Please see **Appendix C** for additional information re Loan of equipment to PCC owned Care Homes

7a Extension of Temporary Loan Period.

Provided the care home can meet a person's needs, it is against the ethos of care to move a person from their current care home if they have a new condition that requires equipment for a temporary period. In these cases CES may extend the 28 day loan period. This will be considered on a case by case basis by commissioners. It may be expected that the care home fund equipment in certain circumstances.

Exceptional circumstances for an extension could include:

- A resident in the care home is in receipt of end of life care (EOL).
- Short term care including intermediate care, reablement, transitional & interim in any care home
- Treatment for pressure ulcers following discharge from hospital for a new or current resident in a residential care home

See Appendix B for a 28 day loan letter template.

8. Provision of NON standard or bespoke equipment

8.1 It is expected that the Home will have a variety of equipment to meet most of their resident's needs. However there will be a very small number of Residents who may need a bespoke piece of equipment provided or purchased to meet their needs. In these circumstances the Care Home should refer the resident for an assessment via Single Point of Access or Social Care Duty. Advice can also be sought from the Clinical Advisory Team if specialist advice is required for moving and handling, equipment for independence, posture management, pressure relief and tissue viability.

Single Point of Access Tel: 0300 300 2011

PCC Adult Social Care Help Desk 02392 680810

Clinical Advisory Team via email on: SNHS.ClinicalAdvisoryTeam@nhs.net

9. Current Community Equipment Store Provider

Portsmouth
NRS
Unit E6 & 9 Voyager Park
Portfield Road,
Portsmouth,
PO3 5FL
Tel 03332 408 334
enquiries@portsmouth.nrs-uk.net

Southampton
NRS
Unit B Centurion Park
Bitterne Road West
Southampton
SO18 1UB
Tel 03332 240 8335
enquiries@southampton.nrs-uk.net

Equipment provision in Residential and Nursing Care homes in Southampton and Portsmouth

Appendix A

Equipment Type	Provided by Residential Care Home - YES or NO	Provided by Nursing Care Home - YES or NO	Other - Provider Details	Comments
Beds				
Range of domestic beds	YES	YES		
Standard hospital type beds, variable height, may include integral cot sides. Up to 28 stone.	YES	YES		
Electric Profiling Beds	YES	YES		In exceptional circumstance loans up to 28 days will be considered.
Bariatric electric Profiling Bed (up to 40 stone)	YES	YES		
Non-standard very specialist beds, e.g. for people with complex treatment and care needs	NO	NO	CES	Funding via CCG (CHC) following assessment by an authorised prescriber.
Mattresses (check mattress and bed provision are compatible under MHRA guidance from April 2013 companies will provide this information)				
Bariatric Pressure Relieving Mattress (up to 40 stone)	YES	YES		
Static foam overlays and replacement mattresses.	YES	YES		
Dynamic Overlay Mattress 1:2 or 1:4	NO	YES	CES	
Replacement Dynamic Mattress	NO	YES	CES	
Dry Floatation mattress Sections	NO	NO	CES	E.g. RoHo or Sofflex mattress sections
Mattress and Cushion Set (Repose)	NO	YES	CES	
Beds Accessories				
Range of bed raisers	YES	YES		
Bed safety rails/ bed guards (e.g. safe sides)	YES	YES		MHRA risk assessment required. (see Appendix D)
Bed Guard Protector/ bumper 3/4 bed guards Foam Protectors/ bumpers, for safety rails/ bed guards	YES	YES		Qualified assessment required. MHRA risk assessment required.

Equipment Type	Provided by Residential Care Home - YES or NO	Provided by Nursing Care Home - YES or NO	Other - Provider Details	Comments
Range of Bed Grab Handles for profiling beds	YES	YES		
Range of Bed Grab Handles to fit your bed type e.g. divan/ slatted beds	YES	YES		Qualified assessment required. MHRA risk assessment required.
Leg Lifter - Powered	NO	NO	CES	
Mattress Elevator -Powered	NO	NO	CES	
Mattress Elevator Knee Break	NO	NO	CES	
Mattress Elevator- side rails	NO	NO	CES	
Powered Pillow Lift	NO	NO	CES	
Over bed tables	YES	YES		
Static chair/ Accessories				
Range of standard high seat chairs	YES	YES		
Chair raisers	YES	YES		
Adjustable height, high back chair	YES	YES		
Bariatric High Back Chair (up to 40 stone)	YES	YES		
Foot stools - Adjustable height	YES	YES		
Specialist Seating				
Riser/recliner Chair to enable independence	YES	YES		
Riser /recliner chair with integral pressure relief and low level postural support e.g. configura	NO	YES	CES	
Bariatric riser / recline chair (up to 40 stone)	YES	YES		
Gas Action or Electronically powered tilt in space chair with footboard and arching leg-rest elevation in a variety of sizes.	NO	YES	CES	
Specialist postural support and specialist tilt in space chairs. Bespoke seating for users with complex needs. Accessories, e.g. thoracic, head supports.	NO	NO	CES	Specialist provision supported by a prescriber who has attended a complex seating/posture course.

Equipment Type	Provided by Residential Care Home - YES or NO	Provided by Nursing Care Home - YES or NO	Other - Provider Details	Comments
Cushions				
Static foam cushion	YES	YES		
Vicair Cushions (Various)	NO	NO	CES	
Contour cushion	NO	YES	CES	
Dry Floatation cushion (various)	NO	NO	CES	e.g.Roho
Pressure reducing/ relieving cushions for use in transit occasional use wheelchairs.	YES	YES		
Pressure reducing/ relieving cushions for use by full time wheelchair users	NO	NO	Wheelchairs service	
Pressure care				
Range of Foot Protectors	NO	YES	CES	Not sheepskin
Positioning Cushions- Polystyrene bead filling and chipped foam	NO	YES	CES	Following PMA assessment
Positioning Cushion Covers	NO	YES	CES	Covers will not be replaced by CES.
Bespoke positioning equipment to support lying posture including visco elastic foam.	NO	NO	CES	
Repositioning, moving and handling.				
Weighing scales either integral or hoist or others	YES	YES		Provision to weigh all residents must be made.
Standing Frames	NO	NO	CES	Via clinical assessment and prescription.
Mobile hoists	YES	YES		Transfers to/from bed, wheelchair, commode, toilet, chair, bath/shower, shower chair.
Powered Stand Aid Hoist with standard slings	NO	YES	CES	
Portable Track Hoist	NO	NO	CES	Client specific loan following assessment
Ceiling Track Hoist	YES	YES		
Standing aid e.g. Arjo Stedy	NO	YES	CES	
Stand and turn Aid (Rotunda)	NO	YES	CES	
Stand and turn Aid (Rotunda) - Extra Wide	NO	YES	CES	
Standard slings and range of sizes eg universal, quickfit, S, M, L, XL	YES	YES		

Equipment Type	Provided by Residential Care Home - YES or NO	Provided by Nursing Care Home - YES or NO	Other - Provider Details	Comments
Standard insitu slings, range of sizes	NO	YES	CES	Assessment required
Sling with head support- range of sizes	NO	NO	CES	Issued to an individual and not for global use
Non-standard slings or bespoke	NO	NO	CES	Issued to an individual and not for global use
Glide Tube- medium/large	YES	YES		
Slide Sheet	YES	YES		
Leave in bed slide sheet system eg satin sheets	NO	YES	CES	
Bariatric in bed slide sheet system	NO	YES	CES	
Transfer Boards - Curved/straight/ butterfly	NO	YES	CES	
Bed Hand Blocks	NO	NO	CES	
Emergency lifting cushion (from floor)	YES	YES		
Toileting				
Bed Pan	YES	YES		
Toilet Seats: raised 50mm, 100mm	YES	YES		
Raised Toilet Seat With Frame	YES	YES		
Urinals/ bottles and non-return valves	YES	YES		
Commodes (static versions) to meet all needs i.e. height adjustable, detachable arm rests to enable sliding transfers. Including bariatric	YES	YES		
Mobile commodes to meet all needs and weights i.e. height adjustable and with detachable arm rests to enable sliding transfers. Lap strap.	YES	YES		
Static Toilet Frame	YES	YES		
Bariatric Raised Toilet Seat (up to 40 stone)	YES	YES		
Bathing and Showering				
Bath board and seat	YES	YES		
Powered bath lift	YES	YES		
Static shower chair	YES	YES		
Mobile shower chair including bariatric	YES	YES		
Shower commode chair including bariatric	YES	YES		

Equipment Type	Provided by Residential Care Home - YES or NO	Provided by Nursing Care Home - YES or NO	Other - Provider Details	Comments
Bespoke shower/commode chair	NO	NO	CES	
Household				
Trolley - height adjustable	YES	YES		
Perching Stool with back and arms	YES	YES		
Bariatric Perching Stool (up to 40 stone)	YES	YES		
Mobility Equipment - Via clinical assessment and prescription.				
Three Wheeled Walker - lightweight	NO	NO	CES	
4 Wheeled Walker	NO	NO	CES	
Walking Frame (range of sizes)	NO	NO	CES	
Elbow Crutches	NO	NO	CES	
Fischer Crutches	NO	NO	CES	
Fischer Adjustable Walking Stick	NO	NO	CES	
Gutter Frame	NO	NO	CES	
Range of Walking Sticks	NO	NO	CES	
Adjustable Walking frame - bariatric	NO	NO	CES	
4 Wheeled Walker - bariatric	NO	NO	CES	
Swan Necked Walking Stick - Bariatric	NO	NO	CES	
Quadrapod/ Tetrapod.	NO	NO	CES	
Wheelchair (for emergency use, transit use, variety of widths)	YES	YES		
Wheelchair for full time wheelchair user.	NO	NO	WCS	Wheelchair Service
Ferrules for sticks and walking frames.	NO	NO	CES	
Other				
Many medical items can be ordered on NHS prescription for individual use. There is a guide to the items available on prescription at http://www.nhsbsa.nhs.uk/PrescriptionServices/4940.aspx				
Dressings & bandages	NO	YES		Standard range - see Appendix E
Syringes, needles & sharps boxes	NO	YES		
Continence products	NO	YES		
Catheters	NO	NO		
Nutritional supplements – PEG feeds etc	NO	NO		

Equipment Type	Provided by Residential Care Home - YES or NO	Provided by Nursing Care Home - YES or NO	Other - Provider Details	Comments
Stoma care products	NO	NO		
Skin creams & emollients	NO	NO		
Hosiery	NO	NO		
Tracheotomy equipment	NO	NO		
Blood testing equipment eg BM sticks	NO	YES	.	
Communication aids – for speech and language	NO	NO		
Orthotics and prosthetics	NO	NO		
Oxygen cylinder	NO	NO		
Venepuncture Equipment	NO	YES		
Ear Syringing equipment	NO	NO		
Suction machine	NO	NO		
Simple Nebuliser	NO	YES		
Clinical thermometers	NO	YES		
Urine testing equipment	NO	YES		For routine nursing procedures
Sphygmomanometer and/or stethoscope	NO	YES		For routine nursing procedures
Standard syringe drivers	NO	YES		
General Infrastructure				
Fixed items (as needed), such as grab rails, horizontal rails in corridors, floor to ceiling poles, drop down rails, threshold ramps and other ramping.	YES	YES		

Appendix B

NRS
Unit E6 & 9 Voyager Park
Portfield Road
Portsmouth
PO3 5FL

Dear

Re: Temporary Loan of equipment to Care or Residential Home

The community equipment store agrees to temporary loan the following piece(s) of equipment:

CES Number	Description

To: Care /Residential Home address:.....

.....

Post Code Tel number.....

For the sole use of : (service users name)

The equipment is to be returned within 28 days by the owner/ manager of the address where the equipment is located, (please enter managers details below.)

Manager's Name.....

As the Manager of the above property, I agree to return the equipment within 28 days or I will be liable to be charged for the loan and maintenance of the equipment. NRS can be contacted on 03332 408334 to arrange a collection.

If the equipment has not been returned during the 28-day loan period, it will be collected by NRS 28 days after the delivery date.

Print Name: Signature

Date:

Address if different from above:

.....

..... Post Code

Prescribers Name..... Tel No,.....